



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/815,157	03/31/2004	Michael Masterov	07754.046001	8197

7590

02/16/2006

Jonathan P. Osha  
OSHA NOVAK & MAY L.L.P.  
Suite 2800  
1221 McKinney St.  
Houston, TX 77010

EXAMINER

GREENE, DANIEL LAWSON

ART UNIT

PAPER NUMBER

3663

DATE MAILED: 02/16/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/815,157	MASTEROV ET AL	
	<b>Examiner</b>	<b>Art Unit</b>	
	Daniel L. Greene Jr.	3663	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 31 March 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☐ Claim(s) \_\_\_\_\_ is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☒ Claim(s) 1-12 are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

## DETAILED ACTION

### *Election/Restrictions*

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - I. Claims 1-9, drawn to a method, classified in class 376, subclass 154.
  - II. Claims 10-12, drawn to an apparatus, classified in class 205, subclass 464.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the process as claimed can be practiced by another and materially different apparatus such as a Geiger counter and the apparatus as claimed can be used to practice another and materially different process such as electrolysis.

Because these inventions are independent or distinct for the reasons given above and have acquired a separate status in the art in view of their different classification, restriction for examination purposes as indicated is proper.

2. Upon election of one of inventions I or II above, the applicant is further required under 35 U.S.C. 121 to elect one of the following disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable (currently, claims 1 and 10 appear generic):

- 2A. The embodiment wherein the high-energy radiation consists of neutrons only.
  - 2B. The embodiment wherein the high-energy radiation consists of X-rays only.
  - 2C. The embodiment wherein the high-energy radiation consists of gamma rays only.
  - 2D. The embodiment wherein the high-energy radiation consists of alpha particles only.
  - 2e. The embodiment wherein the high-energy radiation consists of beta particles only.
3. Upon election of invention I ONLY, the applicant is further required under 35 U.S.C. 121 to elect one of the following disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable (currently, claim 1 appears generic):
- 3A. The embodiment wherein the gain is used to adjust a magnitude of the ion current signal. (see claim 6)
  - 3B. The embodiment wherein the gain is used to adjust a magnitude of the leakage current signal.
4. Upon election of invention I ONLY, the applicant is further required under 35 U.S.C. 121 to elect one of the following disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable (currently, claim 1 appears generic):

4A. The embodiment wherein the subtracting of the leakage current signal from the ion current signal uses a magnitude-adjusted ion current signal. (see (claim 7)

4B. The embodiment wherein the subtracting of the leakage current signal from the ion current signal uses a magnitude-adjusted leakage current signal.

5. Upon election of **invention I ONLY**, the applicant is further required to elect a single species of the following under 35 USC 121 for the purpose of examination. This additional requirement is to facilitate examining due to the broad range of materials or compositions that can be included in applicant's ion chamber.

Elect the "gas" capable of forming charged ions by the high-energy radiation.(see paragraph [0017] of the specification)

**Note: In regard to a single species election of species, the election MUST BE CLOSED ENDED, i.e. consisting of uranium-233 only, etc. An open-ended election will be considered non-responsive.**

6. Upon election of **invention II ONLY**, the applicant is further required to elect a single species of the following under 35 USC 121 for the purpose of examination. This additional requirement is to facilitate examining due to the broad range of materials or compositions that can be included in applicant's ion chamber.

Elect the "ionizable material" that can be ionized by the high-energy radiation.  
(see claim 11)

**Note: In regard to a single species election of species, the election MUST BE CLOSED ENDED, i.e. consisting of uranium-233 only, etc. An open-ended election will be considered non-responsive.**

7. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.


Art Unit: 3663

8. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel L. Greene Jr. whose telephone number is (571) 272-6876. The examiner can normally be reached on Mon-Fri 8:30am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Keith can be reached on (571) 272-6878. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DIG   
2006-02-13

  
JACK KEITH  
SUPERVISORY PATENT EXAMINER